




POLI-FLEX® PEARL GLITTER / GLITTER are heat sealable flex film intensely coated with sparkling, optically attractive blended Glitter powder.

POLI-FLEX® PEARL GLITTER / GLITTER is suitable for applying onto Cotton, Polyester/Cotton and Polyester/Acrylic and can be used for designing T-shirts, fashion and leisure wear and promotional accessories.

POLI-FLEX® PEARL GLITTER / GLITTER sind thermisch übertragbare Flex-Folien beschichtet mit glänzendem, optisch attraktivem Glitter-Powder.

POLI-FLEX® PEARL GLITTER / GLITTER ist geeignet für Anwendungen auf Baumwolle, Polyester, Mischgeweben aus Polyester/Baumwolle und Polyester/Acryl und dient zur Designgestaltung von T-Shirts, Mode- und Freizeitbekleidungen und Accessoires.



## POLI-FLEX® PEARL GLITTER POLI-FLEX® GLITTER



## Processing

POLI-FLEX® can be cut with all current plotters. We recommend using a Flock knife (60°). After weeding the cut flex film is transferred by heat press. The polyester liner should be removed warm.

## Features

POLI-FLEX® PEARL GLITTER / GLITTER are washable at 60°C and suitable for dry-cleaning and tumble drying.

Nylon and textiles with hydrophobic impregnation are not suitable for heat transfer. In this case we recommend using POLI-FLEX® NYLON.

Guarantee for a secure and long-lasting bond of POLI-FLEX® is only given when following the specified temperature and pressure conditions. We recommend evaluation on test material.

POLI-FLEX® PEARL GLITTER / GLITTER are transfer films with special optical effects, which are covered with a **self adhesive polyester liner, enabling a reposition.**

## Dimensions

500 mm x 25 m, 500 mm x 10 m  
Other dimensions and special colours available on request.

## Verarbeitung

POLI-FLEX® ist mit allen marktüblichen Plottern zu schneiden. Wir empfehlen die Verwendung eines Flockmessers (60°). Nach dem Entgittern wird die geschnittene Flex-Folie mit einer Transferpresse übertragen. Der Liner ist warm abzuziehen.

## Eigenschaften

POLI-FLEX® PEARL GLITTER / GLITTER Produkte sind waschbar bis 60°C und chemisch reinigungsbeständig sowie Trockner geeignet.

Nylongewebe sowie Gewebe mit einer wasserabweisenden Imprägnierung sind für den Heißtransfer nicht geeignet. Für diesen Fall ist POLI-FLEX® NYLON zu verwenden.

Nur bei Einhaltung der vorgegebenen Temperatur- und Druckbedingungen des Heißtransfers ist eine sichere und dauerhafte Verankerung der Flex-Folie gewährleistet. Wir empfehlen, eine Anwendungsprüfung an Originalmaterialien durchzuführen.

POLI-FLEX® PEARL GLITTER /GLITTER sind Transferfolien mit besonderen optischen Effekten, die mit einer **selbstklebenden Polyesterfolie** ausgerüstet sind, um ein **Repositionieren der geplotterten Motive** zu ermöglichen.

## Abmessungen

500 mm x 25 m, 500 mm x 10 m  
Andere Abmessungen und Sonderfarben auf Anfrage.

|  | Cotton<br>Baumwolle         | Cotton/<br>Polyester<br>(Mixture)<br>Baumwolle/<br>Polyester<br>(Mischgewebe) | Polyester/<br>Acrylic<br>(Mixture)<br>Polyester/<br>Acryl<br>(Mischgewebe) |
|--|-----------------------------|---|--|
| POLI-FLEX®<br>PEARL GLITTER /<br>GLITTER | 160°C<br>15 sec.<br>2,5 bar |   |  |

04/2019



POLI-TAPE Klebefolien GmbH

Zeppelinstraße 17  
53424 Remagen - GERMANY

Telefon: +49 2642 98 36 0  
Fax: +49 2642 98 36 37

E-Mail: [info@poli-tape.de](mailto:info@poli-tape.de)  
Internet: [www.poli-tape.de](http://www.poli-tape.de)

Your POLI-TAPE products distributed by

